


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
—	—	—	—	—



RB RED BARN MACHINE

STOP

107E5848-9

REV

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES

TOLERANCES ON: DECIMALS

DECIMALS .XXX ± .005 FRACTIONS + 1/2

FRACTIONS \pm 1/3
ANGLES \pm 00'

.X ± .1 ANGLES ±.00

UNLESS OTHERWISE SPECIFIED
1. BREAK ALL SHARP EDGES

1. BREAK ALL SHARP EDGES
015 x 45° PR 015 R

2. DIMENSIONAL LIMITS APPLY AFTER PLATI

SCALE NTS **DATE** C

NAME NTS DATE 8

Digitized by srujanika@gmail.com

NOT APPROVED FOR PRODUCTION

ASSY QTY	ASSY QTY	B/O	PART #	TOTAL QTY	DESCRIPTION	MAT.	B/O INFORMATION SPECIFICATION
			-1	1	RND	6061	Ø8-1/4 x 3-7/8
ASSY #							

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
—	— —	—	—	—

 RED BARN MACHINE	
TITLE	
DWG NO.	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS $.XXX \pm .005$ FRACTIONS $\pm 1/32$ $.XX \pm .01$ ANGLES $\pm .5^\circ$ $.X \pm .1$	
DRAWN BY: PERRITT APPROVED HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES $.015 \times .45"$ PR. 015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE	USED ON MODEL
NTS	
DATE	8-15-07
SHEET	1 of 1

NOT APPROVED FOR PRODUCTION

TITLE		RED BARN MACHINE	
DWG NO.		REV	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: PERRITT	
TOLERANCES ON: DECIMALS XXX \pm .005 FRACTIONS \pm 1/32 XX \pm .01 ANGLES \pm .5° X \pm 1		APPROVED HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR. .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL	
SCALE	NTS	DATE	8-15-07
		SHEET	1 of 1